

**No. 1367****1. Unique identification code of product-type:**

Pisko roof walkway (type B) / SG Fastener Pisko UniSeam + SG Tightening Clamp Pisko UniSeam installed on *NTM lock-seam roof*

**2. Intended use:**

The Pisko roof walkway is a fixed walkway installed on a sloped roof construction. It enables the inspection, maintenance, and service work on the roof.

**3. Manufacturer:**

Piristeel Oy, Metallitie 4, 62200 Kauhava

[www.piristeel.fi](http://www.piristeel.fi)

**4. AVCP level:**

AVCP 3

**5. Harmonised standard and notified body:**

EN 516:2006 "Prefabricated accessories for roofing – Installations for roof access – Walkways, treads and steps"

Eurofins Expert Services Oy, 0809, has performed a type test according to AVCP 3 and has issued relevant test reports.

**6. Declared performances:**

Essential characteristics	Declared values	Reference to European standard
Mechanical strength	Class 1	EN 516:2006
Reaction to fire	A1	
External fire performance	DTS	
Durability	Z275 + powder coating (~80µm)	

The performance of the product identified in clause 1 is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Petteri Nieminen, Managing Director  
Kauhava, 16.6.2020

