

Roof ridge safety rail

Property name and type	
<input type="text"/>	
Property owner	
<input type="text"/>	
Company	Installer / Inspector
<input type="text"/>	<input type="text"/>
Date	
<input type="text"/>	

	in order	in need of repair
Instructions for installation, use and maintenance of the roof ridge safety rail can be found on the site	<input type="radio"/>	<input type="radio"/>
Visual inspection of the roof ridge safety rail Check for deflections and other damage to both the fasteners and the pipes.	<input type="radio"/>	<input type="radio"/>
The system has been installed in accordance with the installation instruction Check the main points mentioned in the installation instructions. Check in particular the condition of all fixing screws and the condition and fixing of all roof fasteners.	<input type="radio"/>	<input type="radio"/>
Condition of the paint coating Minor rubbing of the paint surface due to use is normal on pipes - however, it is recommended that any obvious paint defects are repaired.	<input type="radio"/>	<input type="radio"/>
Tension of the fixings Check the tightness of screws, bolts, nuts, etc., at least by spot testing. Ensure that locking brackets are attached to at least the outermost fasteners of each continuous ridge rail length.	<input type="radio"/>	<input type="radio"/>
Condition of the mounting platform Firmness and watertightness of the joint of e.g. bitumen roof or other mounting platform. Check the condition of the waterproofing at the fixing points - are there signs of damage from falling or heavy use?	<input type="radio"/>	<input type="radio"/>
Location of the roof ridge safety rail on the site/roof Edge distances, safe usability. If necessary, consider anti-swing solutions for the roof corner points.	<input type="radio"/>	<input type="radio"/>
Working areas One user at a time is connected to roof ridge safety rail. If there are separate rails for more than one user on the roof, each will be inspected as separate entity.	<input type="radio"/>	<input type="radio"/>
Labelling of products Only original Pisko accessories are used in the system (tracking codes on the roof fasteners and the P-marking for certification).	<input type="radio"/>	<input type="radio"/>

Observed deficiencies and repairs made
<input type="text"/>