

No. 1354

1. Unique identification code of product-type:

Pisko roof walkway (type B) / Bracket for sheet metal roofs 150 Compact (28030) + mounting plate for waterproofing membrane (28109)

2. Intended use:

The Pisko roof walkway is a fixed walkway installed on a sloped roof construction. It enables the inspection, maintenance and service work on the roof.

3. Manufacturer:

Piristeel Oy, Metallitie 4, 62200 Kauhava

www.piristeel.fi

4. AVCP level:

AVCP 3

5. Harmonised standard and notified body:

EN 516:2006 "Prefabricated accessories for roofing – Installations for roof access – Walkways, treads and steps"

Eurofins Expert Services Oy, 0809, has performed a type test according to AVCP 3 and has issued relevant test reports.

6. Declared performances:

| Essential characteristics | Declared values | Reference to European standard |
|---------------------------|-------------------------------|--------------------------------|
| Mechanical strength | Class 1 and Class 2 | EN 516:2006 |
| Reaction to fire | A1 | |
| External fire performance | DTS | |
| Durability | Z275 + powder coating (~80µm) | |

The performance of the product identified in clause 1 is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Petteri Nieminen, Managing Director Kauhava, 30.5.2019

PittoWilm

