

No. 1397

1. Unique identification code of product-type:

Pisko roof walkway (type B) / Bracket for tile roof, auxiliary batten 150 Compact (25760)

2. Intended use:

The Pisko roof walkway is a fixed walkway installed on a sloped roof construction. It enables the inspection, maintenance and service work on the roof.

3. Manufacturer:

Piristeel Oy, Metallitie 4, 62200 Kauhava

www.piristeel.fi

4. AVCP level:

AVCP 3

5. Harmonised standard and notified body:

EN 516:2006 "Prefabricated accessories for roofing – Installations for roof access – Walkways, treads and steps"

Eurofins Expert Services Oy, 0809, has performed a type test according to AVCP 3 and has issued relevant test reports.

6. Declared performances:

Essential characteristics	Declared values	Reference to European standard
Mechanical strength	Class 1 and Class 2	
Reaction to fire	A1	EN 516:2006
External fire performance	DTS	
Durability	Z275 + powder coating (~80µm)	

The performance of the product identified in clause 1 is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Kimmo Mansikkaviita, business director Kauhava, 28.8.2024

the

